	Hits	Search Text	DBs
1	859	OBJECT$1 AND REPORT$1 AND (QUER$5 WITH STATEMENT$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	549	S1 AND (RELATIONAL WITH DATABASE$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	582	S1 AND (RELATIONAL AND DATABASE$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	450	S3 AND LINK$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	393	S4 AND (DATA WITH SET$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	201	S5 AND TEMPLATE$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	95	S6 AND META$1DATA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	80	S7 AND PATTERN$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	54	S8 AND CHARACTERISTIC$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	52	S9 AND EDIT$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
11	12	S10 AND ((DRILL$1DOWN$1 OR "DRILL DOWN" OR "DRILL-DOWN") WITH REPORT$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	12	S11 AND (INTERFACE$1 OR MONITOR$1 OR DISPLAY$4 OR SCREEN$1 OR WINDOW$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	8	S12 AND (RDBM$1 OR (RELATIONAL ADJ DATABASE ADJ MANAGEMENT ADJ SYSTEM$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	5	S13 AND (@AD < "20020325")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	11975	((707/1-10) or (707/100-104.1)).CCLS.	USPAT
16	4	S15 AND S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	4	(("6341286") or ("6282547") or ("5787416") or ("5603025")).PN.	USPAT
18	0	S14 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	3	S15 AND ((DRILL$1DOWN$1 OR "DRILL DOWN" OR "DRILL-DOWN") WITH REPORT$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	0	S19 AND META$1DATA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
21	1	S15 AND TEMPLATE$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	4	S15 AND EDIT$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	3	S23 AND LINK$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	3	S24 AND (RELATIONAL AND DATABASE$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	3	S25 AND (INTERFACE$1 OR MONITOR$1 OR DISPLAY$4 OR SCREEN$1 OR WINDOW$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	2	S26 AND (RDBM$1 OR (RELATIONAL ADJ DATABASE ADJ MANAGEMENT ADJ SYSTEM$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	7	((first and second) adj report$1) with link$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	7	S28 and (@ad < "20020325")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	1	S29 and (report$1 with template$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	0	S30 and relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
31	3	S29 and relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	3	S32 and database$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	1	S33 and quer$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	0	S33 and statement$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	0	S33 and template$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	1	S29 and template$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	146	relational and database$1 and (report$1 same link$6) and (quer$3 or statement$1) and publish$5 and (RDBM$1 or (relational adj database$1 adj management adj system$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	48	S38 and ((first and second) with report$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	38	S39 and (bind$4 or bound$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
40	1	S40 and (drill$1down near4 report$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	1	S40 and meta$1data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	0	meta$1data and relational and database$1 and (report$1 same pattern$1 same (object$1 or element$1 or item$1)) and (quer$3 or statement$1) and (drill$1down near5 report$1) and set$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	40	(drill$1down near5 report$1) and set$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	23	S44 and (@ad < "20020325")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	2	S45 and meta$1data and relational and database$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	2	S46 and (quer$3 or statement$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	2	S47 and (template$1 or pattern$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	4	(("5603025") or ("20020184187") or ("5787416") or ("6279033")).PN.	US-PGPUB; USPAT

	Hits	Search Text	DBs
49	4	S49 and ((first and second) with report$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	3	S49 and ((first and second) adj report$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	4	S50 and (code$1 or instruction$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	3	S52 and edit$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	2	S53 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	0	S53 and (pattern$1 with (object$1 or element$1 or item$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	1	S53 and (pattern$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	1	S56 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	1	S57 and event$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	1	S58 and (interface$1 or display$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
59	1	S59 and (rdbs or (database adj management))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	0	S60 and ((first and second) adj report$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	1	S60 and ((first and second) with report$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	1	S62 and link$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	3	report$1 and (event$1 near5 handl$5) and (quer$4 with (expression$1 or statement$1)) and drill$1down and interface$1 and ((generat$5 or creat$5) near5 report$1) and (@ad < "20020325")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	3	S64 and relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	3	S65 and (code$1 or instruction$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	3	S66 and pattern	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
67	3	S67 and (rdbm$1 or (database$1 adj management$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	3	S68 and meta$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	0	S70 and ((first and second) adj report$1) and link$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	0	S69 and ((first and second) adj report$1) and link$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	1	S69 and (result$1 with set$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	2	S69 not S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	23301	((generat$5 or creat$5) near4 report$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	34	((generat$5 or creat$5) near4 report$1) same (result$1 near5 set$1) same (interface$1 or display$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	25	S75 AND (@AD < "20020325")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
76	10345	(report$1 with (code$1 or instruction$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	11	S76 and (report$1 with (code$1 or instruction$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	0	S78 and (retriev$5 same (rdbm$1 or (database adj management)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	4	S78 and retriev$5 and (rdbm$1 or (database adj management))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
80	4	S80 and relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	2	S81 and drill$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
82	2	S82 and link$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	7	((first and second) adj report$1) with link$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	7	S84 and (@ad < "20020325")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	1	S85 and (quer$3 or statement$1) and (rdbm$1 or (database adj management))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
86	0	S86 and publish$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	8	((first and second) adj report$1) with link$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	7	S88 and (@ad < "20020325")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	1	S89 and (quer$3 or statement$1) and (rdbm$1 or (database adj management))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
90	0	"tabb et al."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	0	"Tabb et al."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	649	"Tabb"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
93	533	S93 and (@ad < "20020325")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
94	213	"tabb".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	135	S95 and (@ad < "20020325")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
96	1	S89 and (quer$3 or statement$1) and (rdbm$1 or (database adj management))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	4	(("6341286") or ("6282547") or ("5787416") or ("5603025")).PN.	USPAT
98	3	S98 AND ((DRILL$1DOWN$1 OR "DRILL DOWN" OR "DRILL-DOWN") WITH REPORT$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
99	1	S89 and (quer$3 or statement$1) and (rdbm$1 or (database adj management))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB